



The Steelhead Ultra series is designed with the small to medium size bottler in mind. Everything from ease of use to footprint has been taken into consideration. Our Ultra system is the ultimate answer for your needs.

## Ultra 150 Specification

- Automatically Washes, Fills, And Caps Up To 150 Five-Gallon Bottles Per Hour
- One Person Operation
- One Bottle Load & Unload Per Cycle
- Made of Heavy Duty 12 GA. Stainless Steel
- DC Speed Controlled Gear Drive Motor for Precise Bottle Movement in Washer
- Non Contact 2 Stage, Automatic Filling System Eliminates Cross-Contamination and Bottle Pressurization
- Quick Latch Removable Large Tank and Window Access
- PLC, Motor Starters, and Controls in a NEMA 4 Enclosure
- Low Profile Allows For Good Observation Of Process
- Exclusive Bottle Neck Sprays Integrated In Washer
- Recirculated Wash Fluids

✓ <b>Heated Detergent Solution Wash</b>	<b>60 Sec</b>
✓ <b>Post Wash Rinse with Recirculated Water</b>	<b>20 Sec</b>
✓ <b>Sanitizing "One Use" Rinse with 0.5 Ozonated Water</b>	<b>40 Sec</b>



### THIS SYSTEM COMES COMPLETE WITH:

- Complete Gas or Electric Heat System and Controls
- ALL Stainless Steel Spray Nozzles in Washer
- Automatic Ozone Sterilization System for Bottle Sterilization
- Corona Discharge Ozone Generator with Air Treatment Unit
- Internal and External CPVC Piping and Connectors
- Automatic Gentle Bottle Unload System
- Man-Machine Interface Control System
- FDA Approved Pressurized Fill Room with Hospital Grade Inlet Filter
- Stainless Steel Cap Sorter and Delivery System
- Manual S.S. Overhead Cap Hopper

### Optional Features

Product Water Cap Rinse  
Automatic Wash Detergent Make-Up  
Automatic Hopper and Cap Metering Upgrade  
3-Gallon Fill Set – 10.75" Dia. Bottle - Manual Changeover  
6-Gallon Fill Set - Manual Changeover  
480V 3 ph Option for Wash Solution Heater  
LP Gas Option for Wash Solution Heater  
Step Down Transformer Option (No 120V AC available)  
Semi-Automatic De-capper  
Minimum Spare Parts Package  
Recommended Spare Parts Package  
Extensive Spare Parts Package

## Ultra 250 Specification

- Automatically Washes, Fills, And Caps Up To 250 Five-Gallon Bottles Per Hour
  - One Person Operation
  - One Bottle Load & Unload Per Cycle
  - Made of Heavy Duty 12 GA. Stainless Steel
  - DC Speed Controlled Gear Drive Motor for Precise Bottle Movement in Washer
  - Non Contact 2 Stage, Automatic Filling System Eliminates Cross-Contamination and Bottle Pressurization
  - Quick Latch Removable Large Tank and Window Access
  - PLC, Motor Starters, and Controls in a NEMA 4 Enclosure
  - Low Profile Allows For Good Observation Of Process
  - Exclusive Bottle Neck Sprays Integrated In Washer
  - Recirculated Wash Fluids
- 
- ✓ **Heated Detergent Solution Wash** **60 Sec**
  - ✓ **Post Wash Rinse with Recirculated Water** **15 Sec**
  - ✓ **Sanitizing Rinse with 0.5 Ozonated Water** **60 Sec**
  - ✓ **Final Rinse with Fresh Water** **15 Sec**



### THIS SYSTEM COMES COMPLETE WITH:

- Complete Gas or Electric Heat System and Controls
- ALL Stainless Steel Spray Nozzles in Washer
- Automatic Level Control and Detergent Makeup in Wash Tank
- Automatic Ozone Sterilization System for Bottle Sterilization
- Corona Discharge Ozone Generator with Air Treatment Unit
- Internal and External CPVC Piping and Connectors
- Drain Manifold System for Single Point Connection
- Automatic Gentle Bottle Unload System
- Man-Machine Interface Control System
- FDA Approved Pressurized Fill Room with Hospital Grade Inlet Filter
- Stainless Steel Cap Sorter and Delivery System
- Automatic S.S. Overhead Cap Hopper

### Optional Features

Product Water Cap Rinse  
3-Gallon Fill Set – 10.75" Dia. Bottle – Manual Changeover  
6-Gallon Fill Set – Manual Changeover  
480V 3 ph Option for Wash Solution Heater  
LP Gas Option for Wash Solution Heater  
Step Down Transformer Option (No 120V AC available)  
Semi-Automatic De-capper  
Minimum Spare Parts Package  
Recommended Spare Parts Package  
Extensive Spare Parts Package

## Ultra 350 Specification

- Automatically Washes, Fills, And Caps Up To 350 Five-Gallon Bottles Per Hour
  - One Person Operation
  - One Bottle Load & Unload Per Cycle
  - Made of Heavy Duty 12 GA. Stainless Steel
  - DC Speed Controlled Gear Drive Motor for Precise Bottle Movement in Washer
  - Non Contact, 2 position, 2 Stage, Automatic Filling System Eliminates Cross-Contamination and Bottle Pressurization
  - Quick Latch Removable Large Tank and Window Access
  - PLC, Motor Starters, and Controls in a NEMA 4 Enclosure
  - Low Profile Allows For Good Observation Of Process
  - Exclusive Bottle Neck Sprays Integrated In Washer
  - Recirculated Wash Fluids
- 
- ✓ **Heated Detergent Solution Wash** **60 Sec**
  - ✓ **Post Wash Rinse with Recirculated Water** **20 Sec**
  - ✓ **Sanitizing Rinse with 0.5 Ozonated Water** **40 Sec**
  - ✓ **Final Rinse with Fresh Water** **10 Sec**

### THIS SYSTEM COMES COMPLETE WITH:

- Complete Gas or Electric Heat System and Controls
- ALL Stainless Steel Spray Nozzles in Washer
- Automatic Level Control and Detergent Makeup in Wash Tank
- Automatic Ozone Sterilization System for Bottle Sterilization
- Corona Discharge Ozone Generator with Air Treatment Unit
- Internal and External CPVC Piping and Connectors
- Drain Manifold System for Single Point Connection
- Man-Machine Interface Control System
- FDA Approved Pressurized Fill Room with Hospital Grade Inlet Filter
- Stainless Steel Cap Sorter and Delivery System
- Automatic S.S. Overhead Cap Hopper

### Optional Features

Product Water Cap Rinse  
3-Gallon Fill Set – 10.75" Dia. Bottle – Manual Changeover  
6-Gallon Fill Set – Manual Changeover  
480V 3 ph Option for Wash Solution Heater  
LP Gas Option for Wash Solution Heater  
Step Down Transformer Option (No 120V AC available)  
Semi-Automatic De-capper  
Minimum Spare Parts Package  
Recommended Spare Parts Package  
Extensive Spare Parts Package

